


# COMPUTERS & GEOSCIENCES



**An International Journal**

Editor-in-Chief

**G. F. BONHAM-CARTER**

Geological Survey of Canada

**List of Contents, Author and Subject Index**

**Volume 31, 2005**



# COMPUTERS & GEOSCIENCES

**An International Journal** devoted to the publication of papers on all aspects of geocomputation and to the distribution of computer programs and test datasets

## Editor-in-Chief

G. F. Bonham-Carter, Geological Survey of Canada, 601 Booth Street, Ottawa, Ontario, Canada K1A 0E8, *e-mail*: gbonhamc@NRCan.gc.ca *Fax*: 613 996 3726

## Deputy Editor

E. Grunsky (Webmaster), Mineral Resources Division, Geological Survey of Canada, Natural Resources Canada, Room 655, 601 Booth St. Ottawa ON K1A 0E8 Canada, *e-mail*: Egrunsky@nrcan.gc.ca *Fax*: (1) 613 996 3726 *Tel*: (1) 613 992 7258

## Founding Editor

D. F. Merriam

## Associate Editors

F. P. Agterberg, Geological Survey of Canada, 601 Booth Street, Ottawa, Ontario, Canada K1A 0E8, *e-mail*: agterberg@gsc.emr.ca *Fax*: 613 996 3726 *Tel*: 613 996 2374

U. C. Herzfeld, CIRES/NSIDC, University of Colorado Boulder, Boulder, CO 80309-0449, USA

R. Dimitrakopoulos, W.H. Bryan Mining Geology Research Centre, University of Queensland, Brisbane Qld, 4072, Australia, *e-mail*: roussos@uq.edu.au *Fax*: (61) 7 33657028 *Tel*: (61) 7 33653472

## Book and Software Review Editor

T. A. Jones, 5211 Braeburn Dr. Bellaire, TX 77401-4814 USA. *Tel*: (713) 661-0490, *E-mail*: tajones@houston.rr.com

## Editorial Advisory Board

G. C. Bohling (USA)  
B. P. Boudreau (Canada)  
A. Buccianti (Italy)  
J. R. Carr (USA)  
Q. Cheng (Canada)  
G. Cooper (South Africa)  
P. J. Curran (UK)  
D. G. De Paor (USA)  
A. Diblasi (Argentina)

R. Dimitrakopoulos (Australia)  
M. Gahegan (USA)  
M. Jessell (France)  
K. Koike (Japan)  
J. Mallet (France)  
B. Milkereit (Germany)  
B. S. Penn (USA)  
C. Roberto de Souza Filho (Brazil)  
M. A. Sophocleous (USA)

J. P. M. Syvitski (USA)  
J. Tipper (Germany)  
J. Whalley (UK)  
T. J. Wolery (USA)  
G. S. Yadav (India)  
J. Yarus (USA)  
Zhao Pengda (China)

## Officers and Council of the IAMG (2004-2008)

President:

F. Agterberg (Canada)

Past President: G. F. Bonham-Carter (Canada)

Vice President:

N. Fisher

(Australia)

Secretary General:

C. Deutsch (Canada)

Treasurer: G. Ross (USA)

## Council Members

A. Buccianti (Italy)  
Q. Cheng (Canada)  
R. Dimitrakopoulos (Australia)  
B. Doligez (France)  
I. Jackson (UK)  
M. J. Pereira (Portugal)  
F. Gradstein (IGC, Norway)

Editor-in-Chief of  
*Mathematical Geology*:  
W. E. Sharp (USA)  
Editor-in-Chief of *Computers &  
Geosciences*: G. F. Bonham-Carter  
(Canada)

Editor-in-Chief of  
*Natural Resources Research*:  
D. F. Merriam (USA)  
Editor of *IAMG Newsletter*:  
H. S. Poelchau (Germany)

For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact <http://authors.elsevier.com>

**Cover image**—The cover image shows fringe patterns that simulate the deformation field produced by a small ( $M=5.2$ ) earthquake in California as observed by an ERS-1 radar interferogram (Feigl and Dupre, *Computers & Geosciences* 25(6), 695-704, fig. 3). For panel a, the focal mechanism is thrusting on a 3.1-km-wide fault terminating at 3.4 km depth, striking N106°. Subsequent panels show the effect of small variations in fault depth, strike and width. Further information can be obtained at <http://www.iamg.org/cgcover.html>

## List of Contents

### NUMBER 1

- |   |  |
|---|--|
| Eulogio Pardo-Igúzquiza and Peter A. Dowd   | 1 Multiple indicator cokriging with application to optimal sampling for environmental monitoring*                      |
| I. Portoghese, V. Uricchio and M. Vurro   | 15 A GIS tool for hydrogeological water balance evaluation on a regional scale in semi-arid environments*              |
| P. Kaltwasser, F. Boschetti and P. Hornby   | 29 Measure of similarity between geological sections accounting for subjective criteria                                |
| Qiang Wu, Hua Xu and Xukai Zou  | 35 An effective method for 3D geological modeling with multi-source data integration                                   |
| Marco Hugentobler and Bernhard Schneider  | 45 Breaklines in Coons surfaces over triangles for the use in terrain modelling  |
| Andrea Bono and Lucio Badiali   | 55 PWL 1.0 Personal WaveLab: an object-oriented workbench for seismogram analysis on Windows systems                   |
| Hongjie Xie, Xiaobing Zhou, Enrique R. Vivoni, Jan M.H. Hendrickx and Eric E. Small | 65 GIS-based NEXRAD Stage III precipitation database: automated approaches for data processing and visualization*      |
| Bisheng Yang, Qingquan Li and Wenzhong Shi  | 77 Constructing multi-resolution triangulated irregular network model for visualization                                |
| José Poveda and Michael Gould   | 87 Multidimensional binary indexing for neighbourhood calculations in spatial partition trees                          |
| U.K. Singh, R.K. Tiwari and S.B. Singh  | 99 One-dimensional inversion of geo-electrical resistivity sounding data using artificial neural networks—a case study |
| G.R.J. Cooper   | 109 Sunshading global datasets*  |
| Thomas A. Jones   | 115 Book Review  |

### NUMBER 2

- |               |   |
|---------------|---|
| Michael Gould | 117 Geographic information science research in Europe: contributions from AGILE |
|---------------|---|

Yiannis Kamarianakis and Poulicos Prastacos	119	Space-time modeling of traffic flow
Ed Nash, Phil James and David Parker	135	A model for spatio-temporal network planning
Marinos Kavouras, Margarita Kokla and Eleni Tomai	145	Comparing categories among geographic ontologies
Fernando Bação, Victor Lobo and Marco Painho	155	The self-organizing map, the Geo-SOM, and relevant variants for geosciences
Călin Arens, Jantien Stoter and Peter van Oosterom	165	Modelling 3D spatial objects in a geo-DBMS using a 3D primitive
Jean-Michel Follin, Alain Bouju, Frédéric Bertrand and Patrice Boursier	179	Multi-resolution extension for transmission of geodata in a mobile context
R.S. Purves, D.J. Medyckyj-Scott and W.A. Mackaness	189	The e-MapScholar project—an example of interoperability in GIScience education
J. Nogueras-Iso, F.J. Zarazaga-Soria, R. Béjar, P.J. Álvarez and P.R. Muro-Medrano	199	OGC Catalog Services: a key element for the development of Spatial Data Infrastructures
Leonid Stoimenov and Slobodanka Djordjević-Kajan	211	An architecture for interoperable GIS use in a local community environment
Steve H.L. Liang, Arie Croitoru and C. Vincent Tao	221	A distributed geospatial infrastructure for SensorWeb
Klemen Zakšek, Tomaž Podobnikar and Krištof Oštir	233	Solar radiation modelling
Jing Li, George Taylor and David B. Kidner	241	Accuracy and reliability of map-matched GPS coordinates: the dependence on terrain model resolution and interpolation algorithm
Juan C. Suárez, Carlos Ontiveros, Steve Smith and Stewart Snape	253	Use of airborne LiDAR and aerial photography in the estimation of individual tree heights in forestry

### NUMBER 3

Bieng-Zih Hsieh, Charles Lewis and Zsay-Shing Lin	263	Lithology identification of aquifers from geophysical well logs and fuzzy logic analysis: Shui-Lin Area, Taiwan*
Jon E. Bouch	277	2DTraC: An Excel add-in for 2D spatial transformations with applications in microscopy and microanalysis*
Zian Li, Yehua Shan and Shikui Li	283	INVSFS: A MS-Fortran 5.0 program for stress inversion of heterogeneous fault/slip data using the fuzzy C-lines analysis technique



- Quanfa Zhang, Goran Pavlic,  
Wenjun Chen, Robert Fraser,  
Sylvain Leblanc and Josef Cihlar 289 A semi-automatic segmentation procedure for feature extraction in re-  
motely sensed imagery\*
- S. Dyksterhuis, R.A. Albert and  
R.D. Müller 297 Finite-element modelling of contemporary and palaeo-intraplate stress  
using ABAQUS<sup>TM</sup>\*
- Mahmut Onur Karslioglu 309 An interactive program for GPS-based dynamic orbit determination of  
small satellites\*
- Nimisha Vedanti, Ravi P. Srivastava,  
John Sagode and V.P. Dimri 319 An efficient 1D OCCAM'S inversion algorithm using analytically  
computed first- and second-order derivatives for DC resistivity  
soundings\*
- N. Nur Ozyurt and C. Serdar Bayari 329 LUMPED Unsteady: a Visual Basic<sup>®</sup> code of unsteady-state lumped-  
parameter models for mean residence time analyses of groundwater  
systems\*
- Liqiang Zhang, Chongjun Yang,  
Donglin Liu, Yingchao Ren and  
Xiaoping Rui 343 A web-mapping system for real-time visualization of the global terrain\*
- Gregor Klajnšek and Borut Žalik 353 Merging polygons with uncertain boundaries\*
- Eulogio Pardo-Igzuiza and  
Peter A. Dowd 361 EMLK2D: a computer program for spatial estimation using empirical  
maximum likelihood kriging\*
- Li H. Erikson and Hans Hanson 371 A method to extract wave tank data using video imagery and its compar-  
ison to conventional data collection techniques\*
- Short Note*
- Mostafa E. Mostafa 385 Fractal power polynomials: algorithm and applications\*

## NUMBER 4

- Christian J. Carleton, Randy A.  
Dahlgren and Kenneth W. Tate 393 A relational database for the monitoring and analysis of watershed  
hydrologic functions: I. Database design and pertinent queries
- Christian J. Carleton, Randy A.  
Dahlgren and Kenneth W. Tate 403 A relational database for the monitoring and analysis of watershed  
hydrologic functions: II. Data manipulation and retrieval programs
- O. Makarynsky, A.A. Pires-Silva,  
D. Makarynska and C. Ventura-Soares 415 Artificial neural networks in wave predictions at the west coast of  
Portugal\*
- Jun Wang, James M. Hassett and  
Theodore A. Endreny 425 An object oriented approach to the description and simulation of  
watershed scale hydrologic processes

- Luis Manuel Matias, Jean-Louis Olivet, Daniel Aslanian and Luis Fidalgo 437 PLACA: a white box for plate reconstruction and best-fit pole determination\*
- Agustín Menéndez-Díaz, Celestino González-Nicieza and Arturo Ernesto Álvarez-Vigil 453 Hexahedral mesh smoothing using a direct method
- Roseanna M. Neupauer and Kaye L. Powell 465 A fully-anisotropic Morlet wavelet to identify dominant orientations in a porous medium\*
- H. Shin, W.B. Lindquist, D.L. Sahagian and S.-R. Song 473 Analysis of the vesicular structure of basalts\*
- Luciano Telesca, Vincenzo Lapenna and Michele Lovallo 489 Seismogenic zone-dependent time-clustering behaviour in Italian seismicity\*
- Faisal Hossain and Emmanouil N. Anagnostou 497 Assessment of a stochastic interpolation based parameter sampling scheme for efficient uncertainty analyses of hydrologic models
- David Gómez-Ortiz and Bhriagu N.P. Agarwal 513 3DINVER.M: a MATLAB program to invert the gravity anomaly over a 3D horizontal density interface by Parker-Oldenburg's algorithm\*
- Short Notes*
- José A. Álvarez-Gómez, Julián García-Mayordomo, José J. Martínez-Díaz and Ramón Capote 521 SeriesBuster: a Matlab program to extract spatio-temporal series from an earthquake database\*
- James R. Carr 527 Computational considerations in digital image fusion via wavelets\*

## NUMBER 5

- Brian S. Penn 531 Using self-organizing maps to visualize high-dimensional data
- Yong Ge, Qiuming Cheng and Shenyan Zhang 545 Reduction of edge effects in spatial information extraction from regional geochemical data: a case study based on multifractal filtering technique
- Eulogio Pardo-Igúzquiza and Francisco J. Rodríguez-Tovar 555 MAXENPER: a program for maximum entropy spectral estimation with assessment of statistical significance by the permutation test\*
- Bisheng Yang 569 A multi-resolution model of vector map data for rapid transmission over the Internet
- Peter Filzmoser, Robert G. Garrett and Clemens Reimann 579 Multivariate outlier detection in exploration geochemistry\*
- Véronique Mendel, Marc Munsch and Daniel Sauter 589 MODMAG, a MATLAB program to model marine magnetic anomalies\*

- Paolo Diviaco 599 An open source, web based, simple solution for seismic data dissemination and collaborative research
- John Rushing, Rahul Ramachandran, Udaysankar Nair, Sara Graves, Ron Welch and Hong Lin 607 ADaM: a data mining toolkit for scientists and engineers\*
- Zhanfeng Shen, Jiancheng Luo, Chenghu Zhou, Guangyu Huang, Weifeng Ma and Dongping Ming 619 System design and implementation of digital-image processing using computational grids
- Michel Van Camp and Paul Vauterin 631 Tsoft: graphical and interactive software for the analysis of time series and Earth tides\*
- J.J. Mandujano, R.V. Khachaturov, G. Tolson and J. Duncan Keppie 641 Curvature analysis applied to the Cantarell structure, southern Gulf of Mexico: implications for hydrocarbon exploration\*
- Roberto Marmo, Sabrina Amodio, Roberto Tagliaferri, Vittoria Ferreri and Giuseppe Longo 649 Textural identification of carbonate rocks by image processing and neural network: Methodology proposal and examples
- I.V. Radhakrishna Murthy, K.S. Sudhakar and P. Rama Rao 661 A new method of interpreting self-potential anomalies of two-dimensional inclined sheets\*

*Short Note*

- Angel P. Venedikov, José Arnoso and Ricardo Vieira 667 New version of program VAV for tidal data processing\*

**NUMBER 6**

- Guillaume Caumon, Bruno Lévy, Laurent Castanié and Jean-Claude Paul 671 Visualization of grids conforming to geological structures: a topological approach\*
- Maurizio Fedi, Valeria Paoletti and Antonio Rapolla 681 The role of multilevel data in potential field interpretation
- Fabio Boschetti 689 Dimensionality reduction and visualization of geoscientific images via locally linear embedding\*
- Thomas D. Hoisch 698 Thermod7: A general two-dimensional numerical modeling program for heat conduction and advection, with special application to faults\*
- I.K. Kapageridis 704 Input space configuration effects in neural network-based grade estimation
- S. Jaisankar and R. Sharma 718 An interactive end-user software application for a deep-sea photographic database

Yuichi Hayakawa and Takashi Oguchi	735	Evaluation of gravel sphericity and roundness based on surface-area measurement with a laser scanner
Artu Ellmann	742	Computation of three stochastic modifications of Stokes's formula for regional geoid determination*
James S. Cleverley and Evgeniy N. Bastrakov	756	K2GWB: Utility for generating thermodynamic data files for The Geochemist's Workbench® at 0–1000 °C and 1–5000 bar from UT2K and the UNITHERM database*
Frank Kenny and Bryce Matthews	768	A methodology for aligning raster flow direction data with photogrammetrically mapped hydrology*
Stephen Henley	780	The man who wasn't there: The problem of partially missing data*
Sergey V. Churakov	786	Thermoelastic properties of solid phases: C++ object oriented library "SolidEOS"
W.H. Owens	792	Orthogonalising nearly orthogonal axis sets
<i>Short Note</i>		
Jan Marten Huizenga	797	COH, an Excel spreadsheet for composition calculations in the C–O–H fluid system
F. Iwashita, R.C. Monteiro and P.M.B. Landim	801	An alternative method for calculating variogram surfaces using polar coordinates*
T. Nauss and J. Bendix	804	An operational MODIS processing scheme for PC dedicated to direct broadcasting applications in meteorology and earth sciences
Donal M. Ragan	809	Book review

## NUMBER 7

Yan-Rong Zou, Lianyuan Wang, Yanhua Shuai and Ping'an Peng	811	EasyDelta: A spreadsheet for kinetic modeling of the stable carbon isotope composition of natural gases
V. Chakravarthi and N. Sundararajan	820	Gravity modeling of 2 <sup>1/2</sup> -D sedimentary basins — a case of variable density contrast
S. de Bruin and A.J.W. de Wit	828	Stochastic simulation of large grids using free and public domain software*



- |  |     |   |
|--|-----|---|
| G. Macedonio, A. Costa and A. Longo                  | 837 | A computer model for volcanic ash fallout and assessment of subsequent hazard*                              |
| J.F. Kirby   | 846 | Which wavelet best reproduces the Fourier power spectrum?   |
| Janusz Michalak                                      | 865 | Topological conceptual model of geological relative time scale for geoinformation systems                   |
| G.R.J. Cooper  | 877 | Analysing potential field data using visibility*  |
| G.R.J. Cooper and D.R. Cowan                         | 882 | The use of textural analysis to locate features in geophysical data   |
| Hengchang Dai  | 891 | Parallel processing of Prestack Kirchhoff Time Migration on a PC Cluster*                                   |
| J.M. Robbez-Masson and J.C. Foltête                  | 900 | Localising missing plants in squared-grid patterns of discontinuous crops from remotely sensed imagery*     |
| John B. Thurmond, Peter A. Drzewiecki and Xueming Xu | 913 | Building simple multiscale visualizations of outcrop geology using virtual reality modeling language (VRML) |
| George Xian, Mike Crane and Dan Steinwand            | 920 | Dynamic modeling of Tampa Bay urban development using parallel computing                                    |
| Nick Martin and Steven M. Gorelick                   | 929 | MOD.FreeSurf2D: A MATLAB surface fluid flow model for rivers and streams*                                   |
| John H. Schuenemeyer                                 | 947 | Book Review   |

## NUMBER 8

- |  |     |  |
|--|-----|--|
| Saumen Maiti and R.K. Tiwari   | 949 | Automatic detection of lithologic boundaries using the Walsh transform: A case study from the KTB borehole |
| Xuyan Wang and David Pullar  | 956 | Describing dynamic modeling for landscapes with vector map algebra in GIS                                  |
| Vicky L. Freedman, K. Prasad Saripalli, Diana H. Bacon and Philip D. Meyer | 968 | Implementation of biofilm permeability models for mineral reactions in saturated porous media*             |
| Kieran F. Mulchrone  | 978 | DTNNM: A windows program for strain analysis using the Delaunay triangulation nearest neighbour method     |
| G.R.J. Cooper and D.R. Cowan   | 989 | Differential reduction to the pole*  |

Virgilio Gómez-Rubio and Antonio López-Quílez	1000	RArcInfo: Using GIS data with R*
Carlos Henrique Grohmann	1007	Trend-surface analysis of morphometric parameters: A case study in southeastern Brazil
Juha Oksanen and Tapani Sarjakoski	1015	Error propagation of DEM-based surface derivatives
Ming-Hsu Li, Hwai-Ping Cheng and Gour-Tsyh Yeh	1028	An adaptive multigrid approach for the simulation of contaminant transport in the 3D subsurface
Duncan Carr Agnew	1042	GHAM: A compact global geocode suitable for sorting*
E. Gil and C. deToro	1048	Improving tide-gauge data processing: A method involving tidal frequencies and inverted barometer effect*
Mostafa E. Mostafa	1059	Iterative direct inversion: An exact complementary solution for inverting fault-slip data to obtain palaeostresses*
J. Alcock	1071	An algorithm for rapid computation of the steady-state thermal structure of mature subduction zones*
Nathan C. Becker	1075	Painting by numbers: A GMT primer for merging swath-mapping sonar data of different types and resolutions*

## NUMBER 9

Hassan A. Babaie and Rahul Ramachandran	1079	Application of XML in the geosciences
Ron Lake	1081	The application of geography markup language (GML) to the geological sciences
Marcus Sen and Tim Duffy	1095	GeoSciML: Development of a generic GeoScience Markup Language
Stefano Nativi, John Caron, Ethan Davis and Ben Domenico	1104	Design and implementation of netCDF markup language (NcML) and its GML-based extension (NcML-G <sub>ML</sub> )
Robert G. Raskin and Michael J. Pan	1119	Knowledge representation in the semantic web for Earth and environmental terminology (SWEET)
Sunil Movva, Rahul Ramachandran, Xiang Li, Sarita Khair, Ken Keiser, Helen Conover and Sara Graves	1126	Syntactic and semantic metadata integration for science data use
Hassan A. Babaie and Abbed Babaei	1135	Modeling geological objects with the XML Schema

- |   |      |   |
|---|------|---|
| John Victorine, W. Lynn Watney and<br>Saibal Bhattacharya | 1151 | Use of XML and Java for collaborative petroleum reservoir modeling on<br>the Internet |
| Kara L. Nance and Brian Hay                               | 1165 | Automatic transformations between geoscience standards using XML                      |
| Hassan A. Babaie and Abbed Babaie                         | 1175 | Developing the earthquake markup language and database with UML<br>and XML schema     |

## NUMBER 10

- |  |      |   |
|--|------|---|
| Matej Gomboši and Borut Žalik  | 1201 | Point-in-polygon tests for geometric buffers*   |
| Andrew F. Weller, Jonathan Corcoran,<br>Anthony J. Harris and J. Andrew Ware | 1213 | The semi-automated classification of sedimentary organic matter in<br>palynological preparations                    |
| David J. Scott and Judith<br>K. Haschenburger                                | 1224 | Using the hyperbolic distribution to estimate the precision of size<br>distribution percentiles of fluvial gravels* |

## Short Note

- |                                     |      |   |
|-------------------------------------|------|---|
| V. Chakravarthi and N. Sundararajan | 1234 | INVGRAFALT-A Fortran code for Marquardt inversion of gravity<br>anomalies of faulted beds with varying density*                             |
| Lopaka Lee and Dennis Helsel        | 1241 | Statistical analysis of water-quality data containing multiple detection<br>limits: S-language software for regression on order statistics* |
| Mauro Alberti                       | 1249 | Application of GIS to spatial analysis of mesofault populations*  |
| Guiyun Zhou and Nina S.-N. Lam      | 1260 | A comparison of fractal dimension estimators based on multiple surface<br>generation algorithms   |

## Short Note

- |   |      |   |
|---|------|---|
| Quirijn de Jong van Lier,<br>Gerd Sparovek, Dennis C. Flanagan,<br>Elke M. Bloem and Ewald Schnug | 1270 | Runoff mapping using WEPP erosion model and GIS tools   |
| Stefano Pintore, Matteo Quintiliani<br>and Diego Franceschi                                       | 1277 | Teseo: A vectoriser of historical seismograms*  |
| Md. Akram Hossain, Mahbub Alam,<br>David Yonge and Prashanta Dutta                                | 1286 | Finite element modeling of Cr(VI) reduction by <i>Shewanella oneidensis</i><br>MR-1 employing the dual-enzyme kinetic model |
|   | 1293 | Book Reviews  |
| Ivars Neretnieks  | 1305 | Letter to the Editor  |